



Patient Information Leaflet

SCHEDULING STATUS

Not scheduled

PROPRIETARY NAME AND DOSAGE FORM:

Vitatech Marine Collagen Capsules 30

Each capsule contains:

Ingredients	Per capsule
Fish Collagen Peptides (<i>Parts: skin</i>)	400 mg

Inactive ingredients:

Magnesium stearate, silicon dioxide and capsule shell (HPMC, purified water and titanium dioxide)

PHARMACOLOGICAL CLASSIFICATION

34.3 Category D (Health Supplement) [S0]

INDICATIONS

For joint and connective tissue health.

“A varied diet is the most effective and safe way to achieve good nutrition, health, body composition as well as mental and physical performance.”

CONTRAINDICATIONS

Hypersensitivity to any of the ingredients.

If you are pregnant or breast feeding your baby, please consult your health care provider for advice before taking this medicine.

WARNINGS AND SPECIAL PRECAUTIONS

Derived from seafood. For oral consumption only

Do not exceed the recommended daily dosage.

For oral consumption only.

May cause mild gastrointestinal disturbances.

Collagen allergies: People who are allergic to other types of collagens should not use collagen type II.

Joint health / inflammation:

Use of this substance for 5 (five) months has been shown to be beneficial and therefore its use should be undertaken in consultation with a relevant health care provider.

Warning:

If symptoms worsen or if you are pregnant or breastfeeding, consult a relevant health care provider.

If you are being treated for any other conditions, or are on medications, be sure to speak with your doctor to ensure that there won't be any contraindications or negative interactions.

Follow all directions on your medicine label and package. Always tell your healthcare provider if you are taking any other medicine. Do not take this medicine within 1 - 2 hours of taking other medicines.



Not recommended for children < 3yrs. **KEEP OUT OF REACH OF CHILDREN.**

INTERACTIONS

Collagen Type 1 – no known interactions

Collagen Type 2 – no known interactions

Consult your pharmacist or physician. Keep a list of all your medications with you, and share the list with your doctor and pharmacist.

DOSAGE AND DIRECTIONS FOR USE

Adults: Take 1 capsules a day, after food with a full glass of water.

Do not share medicines prescribed for you with any other person. In the event of over-dosage, consult your doctor or pharmacist. If neither is available, contact the nearest hospital or poison control centre.

SIDE EFFECTS

No known

For use beyond 5 months, consult a relevant health care provider.

STORAGE INSTRUCTIONS

Close the container properly after usage. Store in a cool, dry place below 25 °C. Do not leave container open or store in a fridge.

KEEP OUT OF REACH OF CHILDREN.

PRESENTATION

White with Green lid packaged container with tamperproof induction seal, labelled with clear, detailed information printed on the label. Containing 30 capsules.

IDENTIFICATION

White, oblong capsule with soft shell, # 0

REGISTRATION NUMBER

To be allocated.

NAME AND BUSINESS ADDRESS OF THE APPLICANT

Serfie Imports & Exports (PTY) Ltd

Cnr Parkin & Delson Street, North End, Gqeberha 6001

Tel no: +27 (0) 41 816 3100

Email: info@vitatechhealth.com

Website: www.vitatechhealth.com

DATE OF PUBLICATION OF THIS PATIENT INFORMATION LEAFLET

October 2021

Complementary Medicine: Health Supplement

Classification: D (HS)

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use. This product is not intended to treat or diagnose illness.

Pasiënt Inligtingsblaadjie

SKEDULERINGSSTATUS [S0]

Nie geskeduleer nie

HANDELSNAAM EN DOSERINGSVORM:

Vitatech Marine Kollageen kapsules 30

Elke kapsule bevat:

Bestanddele	Per kapsule
Vis Kollageen Peptiedes (<i>Dele: Vel</i>)	400 mg

Ander bestanddele

Magnesiumstearaat, silikoondioksied en kapsule-dop (HPMC, gesuiwerde water en titaandioksied)
Bevat geen suiker of kunsmatige versoeter.

FARMAKOLOGIESE KLASSIFIKASIE

34.3 Kategorie D (Gesondheidsaanvuller) [S0]

INDIKASIES

Vir gewrig en bindweefsel gesondheid.

“'n Omvattende en gebalanseerde eetplan is die mees doeltreffend en veiligste manier vir die handhawing van goeie gesondheid om geestelike en fisiese doelwitte te bereik.”

KONTRAINDIKASIES

Hipersensitiwiteit vir enige van die bestanddele.

Indien swanger of borsvoed, raadpleeg jou gesondheidsorgverskaffer voordat hierdie medisyne gebruik word.

WAARSKUWINGS EN SPESIALE VOORSORGMAATREËLS

AFKOMSTIG VAN SEEKOS. SLEGS VIR MONDELINKSE GEBRUIK.

Moenie die aanbevole dosis oorskry nie.

Slegs vir mondelinge gebruik. Kan ligte gastro-intestinale versteurings veroorsaak.

Kollageenallergieë: Mense wat allergies is vir ander soorte kollageen, moet nie kollageen tipe II gebruik nie.

Gewrig gesondheid/ontsteking:

Die gebruik van hierdie medisyne vir 5 (vyf) maande kan voordelig wees en moet die gebruik daarvan in oorleg met 'n relevante gesondheidsorgverskaffer gedoen word.

Waarskuwing:

Raadpleeg 'n relevante gesondheidsorgverskaffer as die simptome vererger, as u swanger is of borsvoed. As u vir ander toestande behandel word of medisyne gebruik, raadpleeg u gesondheidsdiensverskaffer om te verseker dat daar geen kontraindikasies of negatiewe interaksies kan voorkom met die gebruik van hierdie medisyne nie.

Volg altyd die aanwysings op die etiket of verpakking en raadpleeg u gesondheidsorgverskaffer indien u enige ander medikasie gebruik. Moenie hierdie medisyne binne 1 - 2 uur gebruik indien u ander medikasie geneem het nie. Kalsium kan die doeltreffendheid van ander medisyne verminder. Neem



Word nie vir kinders aanbeveel < 3 jaar. **HOU BUIE BEREIK VAN KINDERS.**

INTERAKSIES

Kollageen tipe 1 - geen interaksies bekend nie

Kollageen tipe 2 - geen interaksies bekend nie

Raadpleeg u gesondheidsorgverskaffer. Hou 'n lys van al u medikasie by u en deel dit met u gesondheidsorgverskaffer.

DOSERING EN GEBRUIKSAANWYSINGS:

Volwassenes: Neem 1 kapsule per dag met 'n glas water na 'n maaltyd.

Moenie medisyne met enige ander persoon deel nie. In die geval van 'n oordosis, raadpleeg dadelik u gesondheidsorgverskaffer. Indien nie beskikbaar, kontak die naaste hospitaal of mediese sentrum vir advies.

NEWE-EFFEKTE

Nie bekend nie

Raadpleeg 'n relevante gesondheidsorgverskaffer vir gebruik langer as 5 maande.

Nie alle newe-effekte is in hierdie pamflet gelys nie. Indien u algemene gesondheidstoestand versleg of as u enige newe-effekte ervaar, raadpleeg u gesondheidsorgverskaffer vir advies.

BERGINGSINSTRUKSIES

Verseël die houer behoorlik na gebruik. Bêre op 'n koel, droë plek onder 25 °C. Moenie die houer oop laat of in die yskas bêre nie.

STOOR ALLE MEDISYNE BUIE BEREIK VAN KINDERS.

AANBIEDING

Verpak in 'n Wit houer, met Groen deksel en 'n peuterbestande induksie-seël. 'n Gedrukte etiket met volledige aanwysings is op die houer aangebring. Bevat 30 kapsules.

IDENTIFIKASIE

Wit, langwerpige kapsule met sagte dop, # 0

REGISTRASIE NOMMER

Nie toegeken nie.

NAAM EN BESIGHEIDSADRES VAN DIE AANSOEKER

Serfie Invoere & Uitvoer (Edms.) Bpk

H/v Parkin- & Delsonstrate, Noordeinde, Gqeberha 6001

Tel no: +27 (0) 41 816 3100

e-Posadres: info@vitatechhealth.com

Webwerf: www.vitatechhealth.com

DATUM VAN PUBLIKASIE VAN HIERDIE PASIËNT INLIGTING PAMFLET

Oktober 2021

Aanvullende Medisyne: Gesondheidsaanvuller

Klassifikasie: D (HS)

Hierdie medisyne is nie deur die SAHPRA geëvalueer ten opsigte van die kwaliteit, veiligheid of beoogde gebruik daarvan nie. Hierdie medisyne is nie bedoel vir die diagnosering, behandeling, genesing of voorkoming van enige siekte nie.